L Number	Hits	Search Text	DB	Time stamp
-	95	((((((((((((("707" and radar) and	USPAT;	2002/04/15 10:40
1		(radar interface) and ((radar interface)	US-PGPUB;	
		and (receive\$3 informa\$3 from database))	EPO; JPO;	
	1	and (((radar interface) and (receive\$3	DERWENT;	
		informa\$3 from database)) and (gather\$	IBM TDB	
		categor\$5 or informat\$5 or update\$3))) and	_	
		(automatical\$6 generat\$5)) and (line	1	1
		sweep\$5 in a radial direct\$5)) and		
		(horizontal\$3 and vertical\$3 directio\$5))	1	1
	ļ	and (color\$3 transit\$5)) and (real time		
		from host locat\$6)) and (initial service		
	į)) and (frequenc\$5 asynchronou\$3)) and		
1		(data refresh\$3 preselect\$5 data)) and (
		send map displa\$5 to remote\$3 locat\$5))		
		and (calibrat\$5 geographic\$5 scope of		
		map)) and (generat\$5 pixel assign)) and		
		(phone number or text\$8 or pictoria\$3 or		
1		informat\$3 on blip)) and (mov\$5 amp on panning or zooming)) and (displa\$5		Ī
		activat\$4 audio\$3 signal\$5)) and (blip		
		overlaid on a map indicat\$3 locat\$5)) and]	
		(map dispaly\$3 zoom out for one blip in		
		respons\$5 to user request)) and (remore		
	1	user) and (user simulat\$3 sweep movement		
		of radar)) and (data transla\$4 into a		
		map)) and (service quer\$3 is generat\$5 by		
		remot\$3 user)	1	
-	8	((((((landsat thematic mapp\$5)and (remote)	USPAT;	2002/04/16 08:20
		and database) and (line sweep in radial	US-PGPUB;	
		direction)) and (horizontal and vertical	EPO; JPO;	
		direction)) and (gather\$5 dat to initial	DERWENT;	
	Ì	service locat\$6)) and landsat) and thematic	IBM_TDB	
_	1	((((((((landsat thematic mapp\$5)and	USPAT;	2002/04/16 12:03
	1	(remote) and database) and (line sweep in	US-PGPUB;	2002/04/10 12:05
1		radial direction)) and (horizontal and	EPO; JPO;	
		vertical direction)) and (gather\$5 dat to	DERWENT;	
		initial service locat\$6)) and landsat) and	IBM TDB	
		thematic) and mapp\$5) and remote) and	-	
		database and navigat\$5		
·-	6	((("707" and sound card) and (audio	USPAT;	2002/04/17 08:34
		signal)) and naviga\$5) and landsat	US-PGPUB;	`
			EPO; JPO;	
			DERWENT;	
	0500	#707# d d	IBM_TDB	2222/24/13 12 23
-	8582	"707" and database	USPAT;	2002/04/17 12:07
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	8582	("707" and database) and (host and cetral	USPAT;	2002/04/17 12:09
		database)	US-PGPUB;	
1		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7504	(("707" and database) and (host and cetral	USPĀT;	2002/04/17 12:10
		database)) and (construc\$5 software)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
<u> </u>	6570	(//#707# and database) /h	IBM_TDB	2002/04/17 12 12
-	6578	((("707" and database) and (host and cetral database)) and (construc\$5	USPAT;	2002/04/17 12:10
Į		cetral database)) and (constructs software)) and (accounting software)	US-PGPUB; EPO; JPO;	
İ			DERWENT;	
			IBM TDB	
-	1991	(((("707" and database) and (host and	USPAT;	2002/04/17 12:11
		cetral database)) and (construc\$5	US-PGPUB;	
1		software)) and (accounting software)) and	EPO; JPO;	
		(transa\$5 monitar\$3)	DERWENT;	
			IBM TDB	ı

-	1889	((((("707" and database) and (host and cetral database)) and (construc\$5	USPAT; US-PGPUB;	2002/04/17 12:13
		cetral database;) and (constructs software)) and (accounting software)) and	EPO; JPO;	
		(transa\$5 monitar\$3)) and (messag\$3	DERWENT;	
ļ	1000	generat\$5)	IBM_TDB	2002/04/17 10 14
-	1888	(((((("707" and database) and (host and cetral database)) and (construc\$5	USPAT; US-PGPUB;	2002/04/17 12:14
		software)) and (accounting software)) and	EPO; JPO;	
		(transa\$5 monitar\$3)) and (messag\$3	DERWENT;	
		generat\$5)) and (data communica\$5)	IBM_TDB	
-	1888	((((((("707" and database) and (host and	USPAT; US-PGPUB;	2002/04/17 12:15
		cetral database)) and (construc\$5 software)) and (accounting software)) and	EPO; JPO;	
		(transa\$5 monitar\$3)) and (messag\$3	DERWENT;	
		generat\$5)) and (data communica\$5)) and	IBM_TDB	
	471	(approv\$5 or reject\$5 of stor\$5 data)	HCDATE.	2002/04/17 12:18
-	4/1	<pre>(((((((("707" and database) and (host and cetral database)) and (construc\$5</pre>	USPAT; US-PGPUB;	2002/04/1/ 12:16
		software)) and (accounting software)) and	EPO; JPO;	
		(transa\$5 monitar\$3)) and (messag\$3	DERWENT;	
		generat\$5)) and (data communica\$5)) and	IBM_TDB	
	:	(approv\$5 or reject\$5 of stor\$5 data)) and (financia\$5 budget\$3)		
-	318	(((((((("707" and database) and (host and	USPAT;	2002/04/17 12:18
		cetral database)) and (construc\$5	US-PGPUB;	
		software)) and (accounting software)) and (transa\$5 monitar\$3)) and (messag\$3	EPO; JPO; DERWENT;	
		generat\$5)) and (data communica\$5)) and	IBM TDB	
		(approv\$5 or reject\$5 of stor\$5 data)) and		
		(financia\$5 budget\$3)) and (build\$3		
	318	contract\$5)	HCDAT.	2002/04/17 12:22
_	310	((((((((("707" and database) and (host and cetral database)) and (construc\$5	USPAT; US-PGPUB;	2002/04/17 12:22
		software)) and (accounting software)) and	EPO; JPO;	
		(transa\$5 monitar\$3)) and (messag\$3	DERWENT;	
		generat\$5)) and (data communica\$5)) and	IBM_TDB	
		(approv\$5 or reject\$5 of stor\$5 data)) and (financia\$5 budget\$3)) and (build\$3		
		contract\$5)) and (facilit\$3 manag\$3		
		software)		
-	318	<pre>((((((((((("707" and database) and (host and cetral database)) and (construc\$5</pre>	USPAT; US-PGPUB;	2002/04/17 12:26
		software)) and (accounting software)) and	EPO; JPO;	
		(transa\$5 monitar\$3)) and (messag\$3	DERWENT;	
		generat\$5)) and (data communica\$5)) and	IBM_TDB	
		(approv\$5 or reject\$5 of stor\$5 data)) and (financia\$5 budget\$3)) and (build\$3	:	
		contract\$5)) and (facilit\$3 manag\$3		
		software)) and (data trans between		
1		systems)		0000/04/12 22 /2
-	317	((((((((((("707" and database) and (host and cetral database)) and (construc\$5	USPAT; US-PGPUB;	2002/04/17 12:43
		software)) and (accounting software)) and	EPO; JPO;	
1		(transa\$5 monitar\$3)) and (messag\$3	DERWENT;	
1		generat\$5)) and (data communica\$5)) and	IBM_TDB	
		(approv\$5 or reject\$5 of stor\$5 data)) and (financia\$5 budget\$3)) and (build\$3		
1		contract\$5)) and (facilit\$3 manaq\$3		
1		software)) and (data trans between		
1	317	systems)) and (aided design\$3 software)	HCDAM.	2002/04/17 12 42
1	317	<pre>((((((((((((("707" and database) and (host and cetral database)) and (construc\$5</pre>	USPAT; US-PGPUB;	2002/04/17 12:48
1		software)) and (accounting software)) and	EPO; JPO;	
		(transa\$5 monitar\$3)) and (messag\$3	DERWENT;	
		generat\$5)) and (data communica\$5)) and	IBM_TDB	
		(approv\$5 or reject\$5 of stor\$5 data)) and (financia\$5 budget\$3)) and (build\$3		
		contract\$5)) and (facilit\$3 manag\$3		
		software)) and (data trans between		
		systems)) and (aided design\$3 software))		
L	L	and (first database and second database)	J	

Page 2

		1 200 /	1	10000/04/5
-	32353	709/\$ or 705/\$	USPAT; US-PGPUB;	2002/04/17 12:48
			EPO; JPO;	
			DERWENT;	
		700/000	IBM_TDB	0000 (04 (17 40 40
-	2839	709/203	USPAT;	2002/04/17 12:49
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	37	_ , , , , , , , , , , , , , , , , , , ,	USPAT;	2002/04/19 10:00
		(host and cetral database)) and (construc\$5 software)) and (accounting	US-PGPUB; EPO; JPO;	
		software)) and (transa\$5 monitar\$3)) and	DERWENT;	
		(messag\$3 generat\$5)) and (data	IBM_TDB	
		communica\$5)) and (approv\$5 or reject\$5 of	_	
		stor\$5 data)) and (financia\$5 budget\$3)) and (build\$3 contract\$5)) and (facilit\$3		
		manag\$3 software)) and (data trans between	1	
		systems)) and (aided design\$3 software))		
		and (first database and second database))		
1_	207	and (709/\$ or 705/\$)) and 709/203	HEDAT.	2002/04/17 12-50
-	207	(((((((((((("707" and database) and (host and cetral database)) and	USPAT; US-PGPUB;	2002/04/17 12:59
		(construc\$5 software)) and (accounting	EPO; JPO;	
		software)) and (transa\$5 monitar\$3)) and	DERWENT;	
		(messag\$3 generat\$5)) and (data communica\$5)) and (approv\$5 or reject\$5 of	IBM_TDB	
		stor\$5 data)) and (approv\$5 or reject\$5 or stor\$5 data)) and (financia\$5 budget\$3))		
		and (build\$3 contract\$5)) and (facilit\$3		
		manag\$3 software)) and (data trans between		
		systems)) and (aided design\$3 software))		
		and (first database and second database)) and (709/\$ or 705/\$)		
-	129	(((((((((((("707" and database) and	USPAT;	2002/04/17 13:00
	}	(host and cetral database)) and	US-PGPUB;	
		(construc\$5 software)) and (accounting	EPO; JPO;	
		software)) and (transa\$5 monitar\$3)) and (messag\$3 generat\$5)) and (data	DERWENT; IBM TDB	
		communica\$5)) and (approv\$5 or reject\$5 of	15155	
		stor\$5 data)) and (financia\$5 budget\$3))		
		and (build\$3 contract\$5)) and (facilit\$3		
		<pre>manag\$3 software)) and (data trans between systems)) and (aided design\$3 software))</pre>		
		and (first database and second database))		
		and (709/\$ or 705/\$)) and construc\$5		
-	2	5931917.pn.	USPAT;	2002/04/17 13:33
1			US-PGPUB; EPO; JPO;	
			DERWENT;	
-			IBM_TDB	
-	3	5893911.pn.	USPAT;	2002/04/17 13:33
İ			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1629	707/104.1	USPĀT;	2002/04/19 08:43
	1		US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1115	707/104.1 and (search tabel or rows or	USPAT;	2002/04/19 08:44
	1	tuples)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1366		USPĀT;	2002/04/19 08:44
		tuples)	US-PGPUB;	
	1		EPO; JPO; DERWENT;	
			IBM TDB	
		1		l

Page 3

-	368	(707/104.1 and (search table or rows or	USPAT;	2002/04/19 08:44
	1	tuples)) and 707/3	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	364	((707/104.1 and (search table or rows or	USPĀT;	2002/04/19 08:45
		tuples)) and 707/3) and (store data)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	İ		IBM_TDB	
-	341	(((707/104.1 and (search table or rows or	USPAT;	2002/04/19 08:46
		tuples)) and 707/3) and (store data)) and	US-PGPUB;	
		(search best match)	EPO; JPO; DERWENT;	
			IBM TDB	
_	341	((((707/104.1 and (search table or rows or	USPĀT;	2002/04/19 08:48
ŀ		tuples)) and 707/3) and (store data)) and	US-PGPUB;	2002, 01, 13 00.10
		(search best match)) and (store data in	EPO; JPO;	
		multi\$5 fields)	DERWENT;	
			IBM_TDB	
-	341	(((((707/104.1 and (search table or rows	USPAT;	2002/04/19 08:52
		or tuples)) and 707/3) and (store data))	US-PGPUB;	
		and (search best match)) and (store data in multi\$5 fields)) and (retriev\$5 data	EPO; JPO;	
		from first or second or third field)	DERWENT; IBM TDB	
_	690209	"18" and (computer mapp\$5 user interface)	USPAT;	2002/04/19 08:52
	0,0203	10 and (compacer mappy) user interrace)	US-PGPUB	2002/04/19 00.32
_	337	((((((707/104.1 and (search table or rows	USPAT;	2002/04/19 08:54
		or tuples)) and 707/3) and (store data))	US-PGPUB;	
		and (search best match)) and (store data	EPO; JPO;	
		in multi\$5 fields)) and (retriev\$5 data	DERWENT;	
		from first or second or third field)) and	IBM_TDB	ł
	227	(traver\$5 data according to value)		0000/04/10 00 57
_	337	((((((((707/104.1 and (search table or rows	USPAT;	2002/04/19 08:57
		or tuples)) and 707/3) and (store data)) and (search best match)) and (store data	US-PGPUB; EPO; JPO;	
		in multi\$5 fields)) and (retriev\$5 data	DERWENT;	
		from first or second or third field)) and	IBM TDB	
		(traver\$5 data according to value)) and		
		(copmuter code retriev\$5 value data from		
	}	first field)		
-	337	((((((((707/104.1 and (search table or	USPAT;	2002/04/19 09:00
	1	rows or tuples)) and 707/3) and (store	US-PGPUB;	
		data)) and (search best match)) and	EPO; JPO;	
		(store data in multi\$5 fields)) and	DERWENT;	
		(retriev\$5 data from first or second or third field)) and (traver\$5 data according	IBM_TDB	
		to value)) and (copmuter code retriev\$5		
	1	value data from first field)) and (store		
		data in node)		
-	334	(((((((((707/104.1 and (search table or	USPAT;	2002/04/19 09:02
		rows or tuples)) and 707/3) and (store	US-PGPUB;	
		data)) and (search best match)) and	EPO; JPO;	
		(store data in multi\$5 fields)) and	DERWENT;	
		(retriev\$5 data from first or second or third field)) and (traver\$5 data according	IBM_TDB	
		to value)) and (copmuter code retriev\$5		
		value data from first field)) and (store		
		data in node)) and (value receiv\$5 for		
		desier\$5 for table)		
-	332	((((((((((707/104.1 and (search table or	USPAT;	2002/04/19 09:03
		rows or tuples)) and 707/3) and (store	US-PGPUB;	
		data)) and (search best match)) and	EPO; JPO;	
		(store data in multi\$5 fields)) and	DERWENT;	
		<pre>(retriev\$5 data from first or second or third field)) and (traver\$5 data according</pre>	IBM_TDB	
1		to value)) and (copmuter code retriev\$5		
		value data from first field)) and (store		
	į	data in node)) and (value receiv\$5 for		
		desier\$5 for table)) and (search for hash		
		funct\$5)		

-	308	((((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB;	2002/04/19 09:04
		data)) and (search best match)) and (store data in multi\$5 fields)) and (retriev\$5 data from first or second or third field)) and (traver\$5 data according to value)) and (copmuter code retriev\$5 value data from first field)) and (store data in node)) and (value receiv\$5 for desier\$5 for table)) and (search for hash	EPO; JPO; DERWENT; IBM_TDB	
	308	funct\$5)) and (allow\$5 dynamic\$3 modifi\$5) ((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 09:05
	256	<pre>desier\$5 for table)) and (search for hash funct\$5)) and (allow\$5 dynamic\$3 modifi\$5)) and fd<= "2000" (((((((((((((707/104.1 and (search table))))))))))))))))))))))))))))))))))))</pre>	USPAT;	2002/04/19 09:06
	236	or rows or tuples)) and 707/3) and (store data)) and (search best match)) and (store data in multi\$5 fields)) and (retriev\$5 data from first or second or third field)) and (traver\$5 data according to value)) and (copmuter code retriev\$5 value data from first field)) and (store data in node)) and (value receiv\$5 for desier\$5 for table)) and (search for hash funct\$5)) and (allow\$5 dynamic\$3 modifi\$5)) and fd<= "2000") and (value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 09:06
	148	origin prefix or destinat\$5 prefix) ((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 09:08
	145	<pre>((((((((((((((((((((((((((((((((((((</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 09:09

-	144	<pre>((((((((((((((((((((((((((((((((((((</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 09:10
-	26	third field)) and (traver\$5 data according to value)) and (copmuter code retriev\$5 value data from first field)) and (store data in node)) and (value receiv\$5 for desier\$5 for table)) and (search for hash funct\$5)) and (allow\$5 dynamic\$3 modifi\$5)) and fd<= "2000") and (value origin prefix or destinat\$5 prefix)) and (node with numeric\$5 digit\$3)) and (phone number\$3)) AND (data save\$3 on tree) (((((((((((((((((((((((((((((((((((USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/19 09:10
-	12668	(identf\$5 prefix) "707" and (accoutn\$5 software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/19 10:43
-	12668	("707" and (accoutn\$5 software)) and (construc\$5 manag\$5 software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/19 11:22
-	0	08674828.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/04/19 11:13
-	0	"08674828"	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/04/19 11:13
-	919	("707" and (accoutn\$5 software)) and (construc\$5 manag\$5 software)and 707/104.1	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/04/19 11:35
-	919	(("707" and (accoutn\$5 software)) and (construc\$5 manag\$5 software)and 707/104.1) and (account\$ program or software)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/19 11:41
-	775	((("707" and (accoutn\$5 software)) and (construc\$5 manag\$5 software)and 707/104.1) and (account\$ program or software)) and (executa\$3 account\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/19 13:57
_	11	(((("707" and (accoutn\$5 software)) and (construc\$5 manag\$5 software) and 707/104.1) and (account\$ program or software)) and (executa\$3 account\$3)) and residential	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/19 13:59

-	4	((((("707" and (accoutn\$5 software)) and	USPAT;	2002/09/19 14:01
İ		(construc\$5 manag\$5 software) and	US-PGPUB;	
		707/104.1) and (account\$ program or	EPO; JPO;	
		software)) and (executa\$3 account\$3)) and	DERWENT;	
		residential) and construction	IBM_TDB	
-	1601069	home wiht construction	USPAT;	2002/09/19 14:01
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1	70155		IBM_TDB	0000/00/10 14 00
-	70155	(home wiht construction) and software	USPAT;	2002/09/19 14:02
1			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	5700	((home wiht construction) and software)	USPAT;	2002/09/19 14:02
	3700	and 707/\$	US-PGPUB;	2002/03/13 14.02
		and 7077 q	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	4064	(((home wiht construction) and software)	USPAT;	2002/09/19 14:03
		and 707/\$) and database	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	174	((((home wiht construction) and software)	USPAT;	2002/09/19 14:03
		and 707/\$) and database) and hotel	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
-	119	(((((home wiht construction) and software)	USPĀT;	2002/09/19 14:04
		and 707/\$) and database) and hotel) and	US-PGPUB;	
		account\$3	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1647	"construction project"	USPAT;	2002/09/19 14:04
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	4	/////bome with construction) and	IBM_TDB	2002/09/19 14:36
-	4	((((((home wiht construction) and software) and 707/\$) and database) and	USPAT;	2002/09/19 14:36
		hotel) and account\$3) and "construction"	US-PGPUB; EPO; JPO;	
		project"	DERWENT;	
		project	IBM TDB	
_	5	(((((home wiht construction) and software)	USPAT;	2002/09/19 14:37
		and 707/\$) and database) and hotel) and	US-PGPUB;	2002/05/15 14.5/
		"construction project"	EPO; JPO;	
		1 - 2	DERWENT;	
			IBM TDB	
-	0	3915907.pn. and generat\$3	USPAT	2002/09/23 13:20
-	1	3915907.pn. and modifi\$5	USPAT	2002/09/23 13:19
-	1	5931907.pn. and generat\$3	USPAT	2002/09/23 13:20
-	20240	cad	USPAT;	2002/09/23 13:32
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	[IBM_TDB	
-	6	((((((home wiht construction) and	USPAT;	2002/09/23 13:32
		software) and 707/\$) and database) and	US-PGPUB;	
		hotel) and account\$3) and cad	EPO; JPO;	
			DERWENT;	
_	2722	and and database	IBM_TDB	2002/00/22 12 22
-	2732	cad and database	USPAT;	2002/09/23 13:32
			US-PGPUB;	
			EPO; JPO; DERWENT;	
1			IBM TDB	
L	L		םמיד הומיד	l

_	1665	(cad and database) and software	USPAT;	2002/09/23 13:32
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	1
-	279	((cad and database) and software) and	USPĀT;	2002/09/23 13:32
		707/\$	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	<u> </u>
			IBM TDB	
-	9	(((cad and database) and software) and	USPAT;	2002/09/23 13:33
		707/\$) and "construction project"	US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	1
			IBM TDB	